Sun State Hemp

4800 SW 51st Street, Suite 106,

**Customer:** 

Sample ID:


Davie, FL 33314

D8DBD10121 / Blue Dream Laboratory Number: ATL-1527

TEST LAB

Report Issue Date 9/23/2021

Extraction Technician: HP Analytical Chemist:



Sample

Description/Size:

Diamond Sauce / 2g

## **CANNABINOID PROFILE**



ACCURATE

Order Date 9/23/2021 Analysis Date 9/23/2021

## Cannabinoids (HPLC)

ournius inoido (i		LO) INCOURS Calliabilio				iu (90)		
Test	LOD (mg/g)	mg/container	%	0	20	1		
Cannabidivarin (CBDV)	<0.5	0	0	111	111	1		

Test	LOD (mg/g)	mg/container	%	0	20	40	60	80	100
Cannabidivarin (CBDV)	<0.5	0	0			1/1	14,		
Cannabidiolic Acid (CBD-A)	<0.4	0	0	VVI	11/1	110	7-4	-	
Cannabigerolic Acid (CBG-A)	<0.4	0	0			11	-4/	1	7
Cannabigerol (CBG)	<0.5	0	0						
Cannabidiol (CBD)	<0.5	904.9	45.24			HHIIIHH			
Cannabinol (CBN)	<0.5	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0				7	1	
Delta 8-Tetrahydrocannabinol	<0.5	1004.4	50.22	<b>AIIIIIII</b>	maniman	Шини			
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0	111	1/1	M	The last		
Cannabichromene(CBC)	<0.5	. 0	0		XIT	THE	1/		
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0	MA	AND	JI M	1		

## **Cannabinoids Total**

Carriado Hotal								
Test	mg/container	%	0	20	40	60	80	100
Max Active THC	/// O X	0	$\bigvee \bigvee$	MIX	11/11	1 1	11	
Max Active CBD	904.9	45.24				1	1	
T.Active Cannabinoids	1909.3	95.47	1111111					
Total Cannabinoids	1909.3	95.47	VIIIIII					

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

Accurate Test Lab, LLC

N/D = Not Detected

2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA

info@AccurateTestLab.com

Tel: (954) 515-0200